
FIG. 50 STANDARD RISER CLAMP









Material/Finish: Carbon stee ☐ 304 stainless steel ☐ 316 stainless steel Plain \square painted electro-galvanized hot-dip galvanized plastic coated Designed for supporting and stabilizing vertical pipe runs. Service: U.L. - U.L.C. listed (sizes 2" - 8"). Complies with Federal Approvals: Specification WW-H-171-E (Type#8), A-A-1192 A (Type#8) And Manufacturers' Standardization Society MSS SP-58 and SP-69 (Type# 8). **Ordering:** Specify pipe size, figure number and finish. Plastic coated riser clamps are completely plastic coated with **Notes:** zinc plated hardware. The plastic coating prevents pipe from coming in contact with the clamp and is designed to reduce noise, vibration and prevent electrolysis between pipe and clamp. Stainless steel riser clamps are recommended for applications where protection from corrosive environments

PIPE SIZE	PIPE OD	MATERIAL SIZE	BOLT	А	В	WEIGHT EACH (lbs)	MAX REC LOAD (lbs)
1/2	0.870	8ga x 1.0	HDEVDE	8 ⁵ /8	2 ¹ /8	0.88	220
3/4	1.050	8ga x 1.0	HINLADL	8 13/16	2 5/16	0.92	220
1	1.315	8ga x 1.0		9 ¹ / ₁₆	2 ⁵ /8	0.94	220
1 1/4	1.660	8ga x 1.0	3/8	9 7/8	2 15/16	1.00	250
1 1/2	1.900	8ga x 1.0	1 \ ' ' '	10	3 ⁷ /16	1.04	250
2	2.375	8ga x 1.0	NPO	10 ⁹ /16	4	1.14	300
2 1/2	2.875	3ga x 1.0	HKEADE	11 ¹ /8	4 9/16	1.60	400
3	3.500	3ga x 1.0		11 ¹³ /16	5 ¹ / ₄	1.70	500
3 1/2	4.000	3ga x 1.0		13	6	2.06	600
4	4.500	3ga x 1.0	1/2	13 5/8	6 ⁵ /8	2.20	750
5	5.563	3ga x 1.5	72	14 ¹ /8	7 ⁵ /8	3.40	1500
6	6.625	3ga x 1.5	HREADE	15 ³ /8	8 7/8	3.72	1600
8	8.625	³/8 x 1.5		18 ⁵ /8	12	7.22	2500
10	10.750	³ /8 x 2.0	5/8	21	14 ¹ / ₂	10.94	2500
12	12.750	¹ / ₂ x 2.0	lu'nu	22 3/4	16 ³ / ₄	16.10	2700
14	14.000	¹ / ₂ x 2.0	NUU	24	17 ⁷ /8	17.00	2700
16	16.000	5/8 x 2 1/2	HBEADE	26	-21	29.16	2900
18	18.000	⁵ /8 x 2 ¹ / ₂	3/4	28	23 1/8	31.91	2900
20	20.000	⁵ /8 x 2 ¹ / ₂		30	25	35.00	2900
24	24.000	5/8 x 2 1/2	7/8	36	29 1/4	42.00	2900
30	30.000	3/4 x 4		42	35 1/4	60.00	3200

is needed.

Project	Approval Stamp		
Project:	INDUSTRIAL)	Notes:	
Address:	Contractor:	THREADED PRODUCTS	
Date:	Engineer:		
Approved Approved	INDUCTOIAL		